



[www.greenhills.org](http://www.greenhills.org)

P.O. Box 14 · 69 Mackerley Road · Greendell, NJ 07839  
Dr. Jennifer Cenatiempo, Superintendent  
Mr. Jon Paul Bollette, Principal

973-300-3800  
Fax 973-300-0617

MEMO TO: Parents/Guardians of Students with Asthma

FROM: Kerry Burneyko, RN

RE: Asthma Form and Medication

Dear Parent/Guardian,

The attached form is for any student who requires asthma medication in school. Please review and complete both front and back with your pediatrician and return it to me as soon as possible, but no later than the first day of school.


Please note that if your child's health chart shows asthma or a prescription for albuterol, we will need to have access to this medication in school, *unless a signed note from your pediatrician states otherwise.*

Here are a few additional points to keep in mind:

- ▶ Please ensure the medication(s) do/does not expire during the year.
- ▶ Please bring the medication(s) in original, labeled containers to the nurse on the first day of school (or the two days prior).
- ▶ Don't forget any spacers, nebulizer tubing, etc. that may be needed. I have a nebulizer machine.
- ▶ For Green Hills Athletes (field hockey, b-ball, track) it is important that students be trained to self-administer. The nurse is not present for practices/games. If this applies, please call me.
- ▶ Students may not transport medications to/from school as per district policy.

Thank you in advance for your cooperation! Our goal is a safe and fun-filled school year. Please reach out with any questions: 973-300-3800 x 215.

Yours in health,

  
Kerry Burneyko, RN, BSN, CSN

(SEE NEXT PAGE)

# Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)



**(Please Print)**

Name _____		Date of Birth _____	Effective Date _____
Doctor _____	Parent/Guardian _____		Emergency Contact _____
Phone _____	Phone _____		Phone _____

## HEALTHY (Green Zone) ||||➡



**You have *all* of these:**

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above \_\_\_\_\_

**Take daily control medicine(s). Some inhalers may be more effective with a “spacer” – use if directed.**

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230 _____	2 puffs twice a day
<input type="checkbox"/> Aerospin™ _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160 _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200 _____	2 puffs twice a day
<input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220 _____	2 puffs twice a day
<input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80 _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160 _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500 _____	1 inhalation twice a day
<input type="checkbox"/> Asmanex® Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220 _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250 _____	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180 _____	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0 _____	1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg _____	1 tablet daily
<input type="checkbox"/> Other _____	
<input type="checkbox"/> None _____	

**Remember to rinse your mouth after taking inhaled medicine.**

If exercise triggers your asthma, take \_\_\_\_\_ puff(s) \_\_\_\_\_ minutes before exercise.

## Triggers

**Check all items that trigger patient's asthma:**

- Colds/flu
- Exercise
- Allergens
  - Dust Mites, dust, stuffed animals, carpet
  - Pollen - trees, grass, weeds
  - Mold
  - Pets - animal dander
  - Pests - rodents, cockroaches
- Odors (Irritants)
  - Cigarette smoke & second hand smoke
  - Perfumes, cleaning products, scented products
  - Smoke from burning wood, inside or outside
- Weather
  - Sudden temperature change
  - Extreme weather - hot and cold
  - Ozone alert days
- Foods:
  - \_\_\_\_\_
  - \_\_\_\_\_
  - \_\_\_\_\_
- Other:
  - \_\_\_\_\_
  - \_\_\_\_\_
  - \_\_\_\_\_

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

## CAUTION (Yellow Zone) ||||➡



**You have *any* of these:**

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: \_\_\_\_\_

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from \_\_\_\_\_ to \_\_\_\_\_

**Continue daily control medicine(s) and ADD quick-relief medicine(s).**

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®) _____	2 puffs every 4 hours as needed
<input type="checkbox"/> Xopenex® _____	2 puffs every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg _____	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Duoneb® _____	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg _____	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Combivent Respimat® _____	1 inhalation 4 times a day
<input type="checkbox"/> Increase the dose of, or add: _____	
<input type="checkbox"/> Other _____	
<p><b>• If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.</b></p>	

## EMERGENCY (Red Zone) ||||➡



**Your asthma is getting worse fast:**

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide • Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other: \_\_\_\_\_

And/or Peak flow below \_\_\_\_\_

**Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!**

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®) _____	4 puffs every 20 minutes
<input type="checkbox"/> Xopenex® _____	4 puffs every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg _____	1 unit nebulized every 20 minutes
<input type="checkbox"/> Duoneb® _____	1 unit nebulized every 20 minutes
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg _____	1 unit nebulized every 20 minutes
<input type="checkbox"/> Combivent Respimat® _____	1 inhalation 4 times a day
<input type="checkbox"/> Other _____	

Disclosures: The use of this Web/PACNJ Asthma Treatment Plan and its content is a grant of permission. This content is provided on an "as is" basis. The American Lung Association of the Mid-Atlantic (ALMA), the Pediatric Asthma Coalition (PACNJ), the American Lung Association of New Jersey (ALNJ), the American Lung Association of New York (ALNY), the American Lung Association of Pennsylvania (ALPA), the American Lung Association of Virginia (ALVA), and the American Lung Association of West Virginia (ALWV) are not responsible for the use of this Web/PACNJ Asthma Treatment Plan and its content. ALMA, ALNJ, ALNY, ALPA, ALVA, and ALWV do not warrant or represent any opinion or recommendation about the accuracy, reliability, completeness, timeliness, or usefulness of the content. ALMA, ALNJ, ALNY, ALPA, ALVA, and ALWV do not warrant or represent any opinion or recommendation about the accuracy, reliability, completeness, timeliness, or usefulness of the content. ALMA, ALNJ, ALNY, ALPA, ALVA, and ALWV do not warrant or represent any opinion or recommendation about the accuracy, reliability, completeness, timeliness, or usefulness of the content. ALMA, ALNJ, ALNY, ALPA, ALVA, and ALWV do not warrant or represent any opinion or recommendation about the accuracy, reliability, completeness, timeliness, or usefulness of the content.


- Permission to Self-administer Medication:**
- This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
  - This student is not approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_  
 Physician's Orders

PARENT/GUARDIAN SIGNATURE \_\_\_\_\_

PHYSICIAN STAMP

# Asthma Treatment Plan – Student Parent Instructions



The **PACNJ Asthma Treatment Plan** is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

**1. Parents/Guardians:** Before taking this form to your Health Care Provider, complete the top left section with:

- Child's name
- Child's doctor's name & phone number
- Parent/Guardian's name & phone number
- Child's date of birth
- An Emergency Contact person's name & phone number

**2. Your Health Care Provider will** complete the following areas:

- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check **"OTHER"** and:
  - ❖ Write in asthma medications not listed on the form
  - ❖ Write in additional medications that will control your asthma
  - ❖ Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow

**3. Parents/Guardians & Health Care Providers together** will discuss and then complete the following areas:

- Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
- Child's asthma triggers on the right side of the form
- Permission to Self-administer Medication section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form

**4. Parents/Guardians:** After completing the form with your Health Care Provider:

- Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
- Keep a copy easily available at home to help manage your child's asthma
- Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

## PARENT AUTHORIZATION

I hereby give permission for my child to receive medication at school as prescribed in the Asthma Treatment Plan. Medication must be provided in its original prescription container properly labeled by a pharmacist or physician. I also give permission for the release and exchange of information between the school nurse and my child's health care provider concerning my child's health and medications. In addition, I understand that this information will be shared with school staff on a need to know basis.

\_\_\_\_\_  
Parent/Guardian Signature

\_\_\_\_\_  
Phone

\_\_\_\_\_  
Date

**FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM.**

***RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY***

I do request that my child be **ALLOWED** to carry the following medication \_\_\_\_\_ for self-administration in school pursuant to N.J.A.C.:6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.

I **DO NOT** request that my child self-administer his/her asthma medication.

\_\_\_\_\_  
Parent/Guardian Signature

\_\_\_\_\_  
Phone

\_\_\_\_\_  
Date

**Check one!**